



CERTIFICATE OF ACCREDITATION



IGES, Inc.

in

South Salt Lake, Utah, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://www.aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Moe Jamshidi', written over a horizontal line.

Moe Jamshidi,
AASHTO COMP Chair

This certificate was generated on 01/27/2023 at 11:18 AM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://www.aashtoresource.org/aap/accreditation-directory)



SCOPE OF AASHTO ACCREDITATION FOR:
IGES, Inc.
in South Salt Lake, Utah, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	05/10/2012
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	05/10/2012



SCOPE OF AASHTO ACCREDITATION FOR:
IGES, Inc.
in South Salt Lake, Utah, USA

Soil

Standard:

Accredited Since:

T288	Minimum Soil Resistivity	12/11/2014
T289	pH of Soils for Corrosion Testing	12/11/2014
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/10/2012
D422	Particle Size Analysis of Soils by Hydrometer	05/10/2012
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/10/2012
D854	Specific Gravity of Soils	12/11/2014
D1140	Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	05/10/2012
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/10/2012
D1883	The California Bearing Ratio	05/10/2012
D2216	Laboratory Determination of Moisture Content of Soils	05/10/2012
D2435	One-Dimensional Consolidation Properties of Soils Using Incremental Loading	10/20/2016
D3080	Direct Shear Test of Soils Under Consolidated Drained Conditions	12/11/2014
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	05/10/2012
D4318	Plastic Limit of Soils (Atterberg Limits)	05/10/2012
D4767	Consolidated-Undrained Triaxial Compression Test on Cohesive Soils	12/11/2014
D5084	Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter	12/11/2014
D6913	Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	12/11/2014
D7928	Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	12/21/2021